

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Original) A method for producing a mascara containing fibre components, wherein an oil phase comprising waxes, oils, pigments and at least one oil-soluble or oil-dispersible polymer or copolymer is mixed with an aqueous phase at 65-78°C until complete emulsification, and the aforesaid emulsion is mixed at 50-70 °C by stirring with a homogeneous, alcohol-free mixture of fibres and liquid synthetic wax, liquid polyethylene or mixtures thereof, which has been prepared at between 18 and 25°C and stirring at 12-20 rpm.
2. (Original) The method according to claim 1, wherein said at least one oil-soluble or oil-dispersible polymer or copolymer is selected from the group consisting of copolymers of maleic anhydride, isopropylmaleate and olefin monomers having between 30 and 45 carbon atoms; copolymers of vinylpyrrolidone and long-chain alpha-olefins; copolymers of adipic acid with fumaric acid, phthalic acid and tricyclodecane dimethiconol; copolymers of adipic acid, cyclohexanedimethanol, maleic anhydride, neopentyl glycol and trimellitic anhydride monomers; copolymers of adipic acid and PPG-10 monomers; polyethylene; butadiene/isoprene copolymers; copolymers of ethyl esters or butyl esters of PVM/MA copolymers; Tricontanyl PVP; C20-40 Acid (and) Polyethylene; PVP/Eicosene; Bis-Diglyceryl Polyacyladipate-1; Polyvinyl Octadecyl Ether; and mixtures thereof.
3. (Original) The method according to claim 2, wherein said at least one oil-soluble or oil-dispersible polymer or copolymer is selected from the group consisting of Tricontanyl PVP, C20-40 Acid (and) Polyethylene, PVP/Eicosene and mixtures thereof.
4. (Currently Amended) The method according to ~~one of claims 1 to 3~~ Claim 1, wherein as fibers polyester fibres, rayon fibres, nylon fibres, cotton fibres, Teflon fibres and preferably Lycra<sup>®</sup> fibres are used.

5. (Currently Amended) The method according to ~~one of claims 1 to 4~~ Claim 1, wherein the used fibers have an average length of between 4 and 4,5 mm.
6. (Currently Amended) The method according to ~~one of claims 1 to 5~~ Claim 1, wherein the waxes used in the oil phase are natural or synthetic waxes which are solid at 25°C and below, preferably beeswax, ozokerite, carnauba wax, candelilla wax, wool wax, hard paraffin, ceresin, silicone wax, polyethylene glycol waxes or polyethylene glycol glycol ester waxes.